TRU PENDANT HORIZONTAL

Roberto Paoli



Horizontal pendant lamp with double linear LED source. Body in extruded aluminum. Heads in injection molded blended polymeric material, with diffusers in opal metacrylate. Structure painted in matt white, matt black or titan grey. Available with uplight/downlight flood or total down. Dimmable.

DOWN + DOWN LED



LAMPING

Source	LINEAR LED
Total power	54W
Emission	DOWN +DOWN
Switching	dimming, push on board
Tension	120V
Color temperature	3000K
Luminous flux	3520lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminum + pc + abs
Notes	metal cable length 9.8' , electrical cable length 16.4', push on board
Net lamp weight	9,9 lbs

Codes	*Structure/Diffuser*
TRU LWW 5C	white/white
TRU LNN 5C	black/white
TRU LDD 5C	titan grey/white

PACKAGE

Package 01	Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

Certificazioni

LISTED Intertek

UP + DOWN LED



LAMPING

Source	LINEAR LED
Total power	54W
Emission	UP + DOWN
Switching	dimming, push on board
Tension	120V
Color temperature	3000K
Luminous flux	3520lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminum + pc + abs
Notes	metal cable length 9.8' , electrical cable length 16.4', push on board
Net lamp weight	9,9 lbs

Codes	*Structure/Diffuser*
TRU LWW 5A	white/white
TRU LNN 5A	black/white
TRU LDD 5A	titan grey/white

PACKAGE

Package 01	Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

Certificazioni

LISTED Intertek

DOWN + DOWN LED



LAMPING

Source	LINEAR LED
Total power	54W
Emission	DOWN +DOWN
Switching	dimming, push on board
Tension	120V
Color temperature	2700K
Luminous flux	3520lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminum + pc + abs
Notes	metal cable length 9.8' , electrical cable length 16.4', push on board
Net lamp weight	9,9 lbs

Codes	*Structure/Diffuser*
TRU LWW 57	white/white
TRU LNN 57	black/white
TRU LDD 57	titan grey/white

PACKAGE

Package 01	Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

Certificazioni

Intertek

UP + DOWN LED



LAMPING

Source	LINEAR LED
Total power	54W
Emission	UP + DOWN
Switching	dimming, push on board
Tension	120V
Color temperature	2700K
Luminous flux	3520lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	3.5" x 4.3" x 68.9"
Materials	aluminum + pc + abs
Notes	metal cable length 9.8' , electrical cable length 16.4', push on board
Net lamp weight	9,9 lbs

Codes	*Structure/Diffuser*
TRU LWW 55	white/white
TRU LNN 55	black/white
TRU LDD 55	titan grey/white

PACKAGE

Package 01	Dimension: 8.7" x 6.3" x 74" inches / Net weight: 14,3 lbs

Certificazioni

Intertek