

IN THE WIND FLOOR

Arihiro Miyake

Floor lamp for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum.

Diffusers are in opal metacrylate. The lamp is available in matt white, matt black, titan grey or matt gold. Switch and dimmer on the cable.



NEMO

www.nemolighting.com

IN THE WIND FLOOR - 1 / 3

LED

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable
Tension	120V
Color temperature	3000K
Luminous flux	2850lm (luminous output)
Type CRI	85
Energy class	A+
IP class	20
Dimensions	10.2" x 10.2" x 72"
Materials	aluminum + pc
Notes	cabl length 6.6', dimmer on cable
Net lamp weight	16,5 lbs


Codes

ITW LWW 21
ITW LNW 21
ITW LGW 21
ITW LDW 21

PACKAGE

Package 01
Package 02

Certificazioni



72

Ø10.2

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

Dimension: 11.8" x 12.6" x 4.7" inches / Net weight: 13,5 lbs
Dimension: 11" x 11" x 76.8" inches / Gross weight: 12,1 lbs

NEMO

www.nemolighting.com

IN THE WIND FLOOR - 2 / 3

LED

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Type CRI	85
Energy class	A+
IP class	20
Dimensions	10.2" x 10.2" x 72"
Materials	aluminum + pc
Notes	cabl length 6.6', dimmer on cable
Net lamp weight	16,5 lbs

Codes

ITW LWW 22
ITW LNW 22
ITW LGW 22
ITW LDW 22

PACKAGE

Package 01
Package 02

Certificazioni



Dimension: 11.8" x 12.6" x 4.7" inches / Net weight: 13,5 lbs
Dimension: 11" x 11" x 76.8" inches / Gross weight: 12,1 lbs

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

NEMO

www.nemolighting.com

IN THE WIND FLOOR - 3 / 3