

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



NEMO

www.nemolighting.com

IN THE WIND PENDANT VERTICAL - 1 / 3

LED 2700K

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Type CRI	85
Energy class	A+
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	cabl length 9.8'
Net lamp weight	8,8 lbs

Codes

ITW LWW 55
ITW LNW 55
ITW LGW 55
ITW LDW 55

PACKAGE

Package 01



Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

NEMO

www.nemolighting.com

IN THE WIND PENDANT VERTICAL - 2 / 3

LED 3000K

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	2850lm
Type CRI	85
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	cable length 9.8'
Net lamp weight	8,8 lbs

Codes

ITW LWW 58
ITW LNW 58
ITW LGW 58
ITW LDW 58

PACKAGE

Package 01



Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

NEMO

www.nemolighting.com

IN THE WIND PENDANT VERTICAL - 3 / 3