


# LINESCAPES FLOOR

Floor lamp with an efficient highly versatile linear luminous output. Structure in extruded aluminum and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements painted in grey.



**NEMO**

[www.nemolighting.com](http://www.nemolighting.com)

LINESCAPES FLOOR - 1 / 3

## LED

### LAMPING

Source LINEAR LED  
Total power 38W  
Emission DIFFUSED  
Switching dimmer on cable  
Tension 120V  
Color temperature 3000K  
Luminous flux 2050lm (luminous output)  
Typ CRI 85  
Energy class A+  
IP class 20  
Dimensions 4.7" x 75.6"  
Materials aluminum + pc  
Notes dimmer on cable , cable length 8.2'  
Net lamp weight 19,6lbs

### Codes

LIN LWD Z1  
LIN LND Z1

### PACKAGE

Package 01  
Package 02



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

LINESCAPES FLOOR - 2 / 3

## LED

### LAMPING

Source LINEAR LED  
Total power 38W  
Emission DIFFUSED  
Switching dimmer on cable  
Tension 120V  
Color temperature 2700K  
Luminous flux 2050lm (luminous output)  
Typ CRI 85  
Energy class A+  
IP class 20  
Dimensions 4.7" x 75.6"  
Materials aluminum + pc  
Notes dimmer on cable , cable length 8.2'  
Net lamp weight 19,6lbs

### Codes

LIN LW2 21  
LIN LN2 21

### PACKAGE

Package 01  
Package 02



## NEMO

[www.nemolighting.com](http://www.nemolighting.com)