


# DABLIU

Suspension lamp in aluminum. Composed of a slender structure with three light points and diffusers that can be selected according to different versions. Spot version available for punctual lighting, version with spherical diffuser in opal blown glass and version with a metallic cone in burnished gold and black finish that allows more light diffusion. LED on board, dimmable.



**NEMO**

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 1/7

## SPOT 40° | 2700K


### LAMPING

Source  
3 x 3,5W  
Emission  
diffused downlight  
Switching  
dimmable 1-10V  
Tension  
110/240V  
Color temperature  
2700K  
Luminous flux  
3 x 400lm (source luminous flux)  
Typ CRI  
90  
Energy class  
A+  
Dimensions  
51,2 x 16,5  
Materials  
aluminum + PC + ABS  
Notes  
cable length 2m, led spot beam angle 40°  
Net lamp weight  
5 lbs

Codes  
DAB LNN 51

PACKAGE  
Package 01

Certificazioni



Dimension: 5.9 x 31.5 x 59.1 inches / Gross weight: 2,5 lbs

Structure/Diffuser  
black/black

NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 2 / 7

## SPOT 40° | 3000K

### LAMPING

Source LED spot  
Total power 3 x 3,5W  
Emission diffused downlight  
Switching dimmable 1-10V  
Tension 110/240V  
Color temperature 3000K  
Luminous flux 3 x 400lm (source luminous flux)  
Typ CRI 90  
Energy class A+  
Dimensions 51,2 x 16,5  
Materials aluminum + PC + ABS  
Notes cable length 2m, led spot beam angle 40°


### Codes

DAB LNN 52

### PACKAGE

Package 01

Certificazioni



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 3 / 7

## GLOBE | 2700K

### LAMPING

Source  
3 x 3,5W  
Emission  
diffused downlight  
Switching  
dimmable 1-10V  
Tension  
110/240V  
Color temperature  
2700K  
Luminous flux  
3 x 400lm (source luminous flux)  
Typ CRI  
90  
Energy class  
A+  
Dimensions  
51,2 x 16,5  
Materials  
aluminum + PC + ABS  
Notes  
cable length 2m, led spot beam angle 40°


### Codes

DAB LNN 55

### PACKAGE

Package 01

Certificazioni



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 4 / 7

## GLOBE | 3000K

### LAMPING

Source LED spot  
Total power 3 x 3,5W  
Emission diffused downlight  
Switching dimmable 1-10V  
Tension 110/240V  
Color temperature 3000K  
Luminous flux 3 x 400lm (source luminous flux)  
Typ CRI 90  
Energy class A+  
Dimensions 51,2 x 16,5  
Materials aluminum + PC + ABS  
Notes cable length 2m, led spot beam angle 40°


### Codes

DAB LNN 56

### PACKAGE

Package 01

Certificazioni



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 5 / 7

## CONE | 2700K

### LAMPING


Source LED diffused  
Total power 3 x 3,5W  
Emission indirect and diffused  
Switching dimmable 1-10V  
Tension 110/240V  
Color temperature 2700K  
Luminous flux 3 x 400lm (source luminous flux)  
Typ CRI 90  
Energy class A+  
Dimensions 51,2 x 16,5  
Materials aluminum + PC + ABS + glass  
Notes cable length 2m, led diffused

Codes  
DAB LNN 53

### PACKAGE

Package 01

Certificazioni



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 6 / 7

## CONE | 3000K

### LAMPING


Source LED diffused  
Total power 3 x 3,5W  
Emission indirect and diffused  
Switching dimmable 1-10V  
Tension 110/240V  
Color temperature 3000K  
Luminous flux 3 x 400lm (source luminous flux)  
Typ CRI 90  
Energy class A+  
Dimensions 51,2 x 16,5  
Materials aluminum + PC + ABS + glass  
Notes cable length 2m, led diffused

Codes  
DAB LNN 54

### PACKAGE

Package 01

Certificazioni



NEMO

[www.nemolighting.com](http://www.nemolighting.com)

DABLIU - 7 / 7